



FURNS
STREET FURNITURE

LANDSCAPING OUR FUTURE

HOCKERS



Product description

These playful seats are an addition to every square. You can combine them mutually and they are available in 3 sizes. These seats create an elegant meeting space which suits our planters and greenpoints.

SPECIFICATIONS

General

Our hockers are always provided with:

- Mounting holes for fixing to the substrate
- Warranty 5 years (expiring)

Standard material

Frame material

- Corten steel 3 mm
- Aluminum 4 mm + 2 layer powder coating

Seat material

- Material: Garapa
- Head sizes: 60x40 mm

Options

- Moso Bamboo Extreme Seat

IMPORTANT

Points of attention

- All products must be unpacked immediately after delivery.
- Every kind of (hard) wood will turn grey under the influence of UV radiation, weather and wind. The final colour depends on the starting colour.
- Wood is a natural product that "works" and will shrink or expand depending on temperature and moisture content.
- Hardwood can turn black when in contact with Corten steel, which will eventually turn grey.
- Corten Steel should never be constantly in moisture, it should drain well and ventilate in all situations.
- Corten Steel products are not (fully) rusted on delivery, we only use Corten steel type S355J0WP.
- Coastal areas: We do not recommend using Corten steel within a radius of 2 km from a coastline.
- During the weathering process rust residue can come off the product, which can result in stains.
- Drilling / grinding in the material is not permitted.


Maintenance

- Regular cleaning (WOCA exterior cleaner) and sealing (WOCA exterior oil) of the wood ensures that the pigment in the wood is retained longer and the discolouration process is delayed.
- Annual cleaning by removing dirt using clean tap water.
Note! Do not use a high-pressure cleaner.

PLACEMENT


PLACEMENT

1. Provide a flat, solid (vibrated) surface. If not done carefully, it can create stresses in the product which could result in damage to the product.
2. Remove the seats using the self-tapping screws at the top of the product.
3. Mark the position of the holes at the bottom of the hocker and drill holes in the pavement.



4. Place the hocker on the flat pavement so that the holes in the footplate match the drilled holes.

Because the hocker can be placed on the pavement, the hocker can be placed anywhere without having to dig.



5. Fix the hocker to the pavement with plugs or a chemical anchor.

Pay attention! Loosely tighten all bolts first, after which they can be tightened one by one.

6. Reassemble the seats onto the hockers using the self tappers.



HOCKERS

MODELS

For a complete overview of all our products and specifications, please visit www.furns.com.



PLATFORM SQUARE



PLATFORM ROUND

OPTIONS



CUSTOM MADE

ACCESSORIES

ACCESSORIES

All our accessories meet the highest standards and are a highly suitable addition to our products. Visit www.furns.com for a complete overview of our accessories.



CLEANER & PROTECTOR

We recommend cleaning our products at least once a year. For optimal results, use the ADEZZ BIO Cleaner & Protector detergent. Always read the instructions on the package carefully before use.



CORTEN VARNISH

To stop the rusting process, Corten varnish can be applied on the Corten products. Always read the instructions on the package carefully before use.