

2023

FURNITURE

GOLLEGTION

#### **GENERAL**

T +31 (0)413 395 262 Info@furns.com www.furns.com

#### OFFICE

Liessentstraat 4 5405 AG Uden The Netherlands

#### WAREHOUSE

Frontstraat 3A 5405 AK Uden The Netherlands

Co. No. 66334055 VAT NL8564.99.390.B01 **IBAN** NL11 INGB 0007 6124 79

More information available on our website:

- The complete collection
- Brochures in different languages: Nederlands, English, Deutsch & Français
  - The most recent projects and product images

FOLLOW US ON:



Cooperation in the chain is naturally to FURNS®.



All our products are produced in our own factory












Cooperative thinking and advice on site needed? We are always ready



Specials are possible thanks to our own factories.



**BENCHES** 08 - 37



**PICNIC SETS** 38 - 45




**GREENPOINTS** 46 - 55



**LITTER BINS** 56 - 75







**BARRIERS** 94 - 99



**ROAD STUDS** 100 - 105

## FURNS

#### MISSION: "LANDSCAPING OUR FUTURE"

Every project deserves a complete design. Budgets are under pressure and FURNS is happy to help its clients to get the most out of the minimum budget without compromising on quality. For this we are constantly developing, we strive for the highest quality and we through a beautiful, timeless design. Neverkeep our organisation flat.

The use of sustainable materials that can withstand weather influences and vandalism is essential in outdoor areas. FURNS has more than

10 years of experience with the application of various materials and construction methods in various climates. The production and development takes place in our own factories. All products can be combined with each other theless, we have compiled a few collections that have similarities in detail in each product.

#### COSTUM MADE

In addition to the delivery of our standard furniture, we are a solid partner for the development and refining of specials.

Are you a professional and do you have an idea to make our living space more beautiful?

Contact us now!

#### BACKGROUND

FURNS is a part of ADEZZ B.V. In the past 10 years, ADEZZ has been one of the European market leaders in the field of outdoor space products. The focus of ADEZZ is on private and business gardens in the high segment. As the projects continued to grow in terms of size and were increasingly used in

public spaces, FURNS was established. **Employees:** 

With FURNS, the experiences, qualities and specialties from the past have been bundled in order to be able to fully focus on public space.

Office: 20-30 Warehouse: 30-40 Production: 110-150

Founded: **FURNS:** 2016 **ADEZZ:** 2009



## MATERIALS

Within the FURNS collection we use a number of standard materials for the standard collection. With every product, the icons indicate in which materials the product can be delivered.




#### CORTEN STEEL

Corten steel, also known as weather-resistant steel, is a metal alloy consisting of iron to which copper, silicon, nickel and chromium have been added. Corten steel is a strong type of steel that has the property of being covered with a protective rust layer when exposed to the outside air. This natural solid rust Advantages layer forms the protection against further corrosion. Characteristic of Corten steel is the brown-orange rust colour and the long life span. Our Corten Steel products are delivered without rust.

#### COR-TEN® VS Corten steel:

COR-TEN® is a brand name and was produced under license from US Steel in the past. We only use Corten steel A quality (S355JOWP).



- Very strong and wear-resistant
- 100% recyclable
- Low maintenance · Weatherproof and durable material
- Warm and natural appearance
- · Rust can be fixed by applying Owatrol varnish



#### GALVANISED STEEL + RAL

First the steel is degreased and then pickled (to remove all surface impurities). Degreasing generally takes place with a hot, highly alkaline solution. During the galvanising process, it is ensured that an alloy is formed between steel or iron and zinc, often with a layer of pure zinc around it. The steel is immersed in molten zinc with a temperature of ± 450 °C. The tempera- Very strong and wear-resistant ture results in an alloy.



#### ALUMINIUM

Aluminium is light, strong, durable and resistant to corrosion. The top edge of all the Aluminum planters has been reversed twice, which gives it a sturdy and timeless appearance. Standard feet with a height of 15 mm are mounted on the bottom of the bins so that the bin is slightly detached from the ground. After the planter has been produced, this planter is powder · Very light weight coated with a strongly adhering primer, after which it is finished with a scratch-resistant colour layer.



- Low maintenance
- Weatherproof and durable material



- 100% recyclable
- Resistant to corrosion Scratch resistant top layer
- High resistance to fertilisers
- Available in almost any RAL colour

Our standard RAL colours are:



RAL 9016

Almost all other standard RAL colours are possible (this may incur start-up costs).

# GARAPA

Garapa or Grapia is the commercial name for the botanical species Apuleia leiocarpa. It belongs to the Caesalpiniaceae family and comes from the forests of Central Brazil. Garapa is a pioneer tree that grows to an average of 25 to 35 meters. The branch-free trunk is cylindrical, with a diameter of 60 to 90 cm. It can reach a length of more than 15 m. The crown spreads open in a parasol shape. The bark is greyish brown and smooth. The heartwood is yellow beige to yellowish brown and turns light brown with time.



#### Specifications

Voluminous mass	900 kg/m3
Labels	FSC
Sustainability class	1 - 2
Origin	Brazil

#### **Specifications**

1150 kg/m3

ESC and

China

Voluminous mass

Lahels

Origin

Labets	BREEAM KON
Sustainability class	1
Strength class	C16 - C24
Fire class	Class B
Footprint	CO² Neutral

## BAMBOO EXTREME

Thanks to a specially patented heat treatment and a very high pressing, MOSO® Bamboo X-treme® Furniture beams are very stable and durable. In addition, this special treatment ensures that MOSO® Bamboo X-treme® reaches the highest durability class within the EU legislation (class 1 according to EN 350). Like any hardwood species, MOSO® Bamboo X-treme® will turn grey when exposed to weather conditions, giving it a beautiful, natural







#### THE BORG SERIES

The BORG is a line with robust seating furniture. The bench can be produced with and without a backrest. You can apply it both as single and double-sided. By combining the single-sided bench with the BORG table you get a robust picnic combination.


In the same series we also have a **picnic combination, litter bins and bicycle racks**. You can find these at our product categories.

## Installation

- Below ground level: 150 mmOn a foundation, see product sheet

## **Options**

FURNS concrete footing







## BORG 2300

## 4 SEATER

### **Specifications**

Description	Standard
Model	BOBE.2300S
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS





DBE.2300S 2300 490 450 137

10	3

USTOM	ACBP600	x2
MADE		

#### BORG 2300 WITH BACKREST 4 SEATER

## **Specifications**

Description	Standard
Model	BOBE.2300SB
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS



CUSTOM ACBP600 x2 MADE



#### CORTEN STEEL

BOBL.23003	2300	490	450	13/
GALVANISED	CTEE	_		
GALVANISED	SIEEL			
POWDER COA	ATING			
		_		
Model	Α	В	С	kg
DODE ****C				
BOBE.2300S	2300	490	450	137

#### CORTEN STEEL

Description	Standard
Model	BOBE.2300SB
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

Model	Α	В	С	kg
BOBE.2300SB	2300	640	873	198

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
BOBE.2300SB	2300	640	873	198

#### BORG 2300 DOUBLE 8 SEATER

Description	Standard
Model	BOBE.2300D
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS





MADE

#### Specifications CORTEN STEEL

Model	Α	В	С	kg
BOBE.2300D	2300	890	450	255

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
BOBE.2300D	2300	890	450	255

#### BORG 2300 DOUBLE + BACKREST 8 SEATER

#### **Specifications**

Description	Standard
Model	BOBE.2300DB
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS







ACBP250 x4

#### CORTEN STEEL

Model	Α	В	С	kg
BOBE.2300DB	2300	890	650	266

Model	Α	В	С	kg
BOBE.2300DB	2300	890	650	266



#### BORG 2300 TABLE

## Specifications CORTEN STEEL

Description	Standard
Model	BOTA.2300
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS



CUSTOM ACBP250 x4 MADE

Model	Α	В	С	kg
BOTA.2300	2300	890	750	288

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
BOTA.2300	2300	890	750	288

#### BORG 750 LOUNGE CHAIR

#### Specifications CORTEN STEEL

Description	Standard
Model	BOLC.750
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm





CUSTOM ACBP250 x4 MADE

Model	Α	В	С	kg
BOLC.750	1853	750	850	173

Model	Α	В	С	kg
BOLC.750	1853	750	850	173



#### THE DUNC SERIES

The modern and soft appearance characterises the DUNC series. The round bench is ideal for placing around a tree. The products can easily be placed on ground level using the pre-drilled fixing holes.

product categories.

## Installation

- On ground level, see product sheet
- On a foundation, see product sheet

#### **Options**

- Installation below ground levelFURNS concrete footing











#### DUNC 2300 3 SEATER

#### Specifications CORTEN STEEL

Description	Standard
Model	DUBE.2300S
Type of wood	Garapa
Beam size	120X20
Corten steel thickness	10 mm
Steel thickness	10 mm

Model	Α	В	С	kg
DUBE.2300S	2300	447	450	39

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	k
DUBE.23009	5 2300	447	450	39

#### OPTIONS



CUSTOM ACBP250 x2 MADE

#### DUNC 2300 ROUND 6 SEATER

## Specifications CORTEN STEEL

Description	Standard
Model	DUBE.R2300S
Type of wood	Garapa
Beam size	125×20
Corten steel thickness	10 mm
Steel thickness	10 mm

#### OPTIONS



Сиѕтом MADE



ACBP600 x3

Model	Α	В	С	kg
)UBE.R2300S	2300	2300	450	173

Model	Α	В	С	kg
DUBE.R2300S	2300	2300	450	173



## THE GRO SERIES

The GRO is a playful but timeless park
bench. The bench can be produced with and
litter bins. You can find without armrest. You can use it as a 1-seater, these at our product categories. 2-seater and 3-seater bench.

## Installation

- Below ground level: 150 mmOn a foundation, see product sheet

## **Options**

- Armrest
- FURNS concrete footing









#### GRO 500 WITH BACKREST 1 SEATER



#### Specifications CORTEN STEEL

Description	Standard
Model	GRBE.500SB
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS







CUSTOM ACBP600 x2 GRBE.AR MADE

rd	Model	Α	В	С	kg	
SB	GRBE.500SB	500	580	890	36	
l						

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
GRBE.500SB	500	580	890	36

A B C kg

#### GRO 1500 WITH BACKREST 2 SEATER



Description	Standard
Model	GRBE.1500SB
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS







Model	Α	В	С	kg	
GRBE.1500SB	1500	580	890	62	_

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
GRBE.1500SB	1500	580	890	62

#### GRO 2300 WITH BACKREST 4 SEATER

Description	Standard
Model	GRBE.2300SB
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS



MADE





CUSTOM ACBP600 x2 GRBE.AR

## Specifications CORTEN STEEL

Model	Α	В	С	kg
GRBE.2300SB	2300	580	890	85

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
GRBE.2300SB	2300	580	890	85

#### GRO ARMREST

## Specifications CORTEN STEEL

	Description	Standard
	Model	GRBE.AR
Cor	ten steel thickness	5 mm
	Steel thickness	5 mm

Model	Α	В	С	kg
GRBE.AR	450	40	265	1

Model	Α	В	С	kg
GRBE.AR	450	40	265	1

#### GRO 2000 SENIORS 3 SEATER

Description	Standard
Model	GRBE.2000SAS
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS





CUSTOM ACBP600 x4 MADE

#### CORTEN STEEL

Model	Α	В	С	kg
GRBE.2000SAS	2000	580	960	94

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
RBE.2000SAS	2000	580	960	94

#### GRO 2600 SENIORS 4 SEATER

## Specifications CORTEN STEEL

Description	Standard
Model	GRBE.2600SAS
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS



MADE



## CUSTOM ACBP600 x5

Model	Α	В	С	kg
GRBE.2600SAS	2600	580	960	111

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
GRBE.2600SAS	2600	580	960	111

#### GRO 2300 4 SEATER

#### **Specifications**

Description	Standard
Model	GRBE.2300S
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS



MADE

CUSTOM ACBP600 x2

#### CORTEN STEEL

Model	Α	В	С	kg
GRBE.2300S	2300	440	470	55

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
GRBE.2300S	2300	440	470	55

#### GRO 2300 TABLE

#### Specifications CORTEN STEEL

Description	Standard
Model	GRTA.2300
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS



Сиѕтом MADE



ACBP250 x4

Model	Α	В	С	kg
GRTA.2300	2300	790	755	92

Model	Α	В	С	kg
GRTA.2300	2300	790	755	92





#### THE MIO SERIES

The MIO series are suitable for any roof garden, public space or even private garden. Thanks to its airy design and pure simplicity, it suits every look. The entire series can easily be attached to ground level using stain-less steel countersunk bolts. The MIO series consists of a sturdy 15 mm Galvanised Steel frame with a Hardwood cladding.

In the same series we also have a **picnic** set and a picnic combination. You can find these at our product categories.

#### Installation

- · On ground level, see product sheet
- On a foundation, see product sheet

- Installation below ground levelFURNS concrete footing









#### MIO 2300 4 SEATER

## Specifications CORTEN STEEL

Description	Standard
Model	MOBE.2300S
Type of wood	Garapa
Beam size	190x42
Corten steel thickness	15 mm
Steel thickness	15 mm







MADE

Model	Α	В	С	kg
MOBE.2300S	2300	575	450	76

Model A B C kg MOBE.2300S 2300 575 450 76





CUSTOM ACBP600 x2

#### MIO 2300 WITH BACKREST 4 SEATER

## Specifications CORTEN STEEL

	-
Description	Standard
Model	MOBE.2300SB
Type of wood	Garapa
Beam size	190x42
Corten steel thickness	15 mm
Steel thickness	15 mm

#### OPTIONS



MADE



## CUSTOM ACBP600 x2

Model	Α	В	С	kg
MOBE.2300SB	2300	620	840	105

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
MOBE.2300SB	2300	620	840	105

#### MIO 2300 DOUBLE + BACKREST

#### 8 SEATER

## **Specifications**

	Description	Standard
	Model	MOBE.2300DB
3	Type of wood	Garapa
	Beam size	190x42
	Corten steel thickness	15 mm
	Steel thickness	15 mm

#### OPTIONS





MADE

ACBP250 x4

#### CORTEN STEEL

Model	Α	В	С	kg
MOBE.2300DB	2300	1320	840	213
-				

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
MOBE.2300DB	2300	1320	840	213

#### MIO 2300 TABLE

#### Specifications CORTEN STEEL

Description	Standard
Model	MOTA.2300
Type of wood	Garapa
Beam size	190x42
Corten steel thickness	15 mm
Steel thickness	15 mm

#### OPTIONS





CUSTOM MADE

ACBP250 x4

Model	Α	В	С	kg
MOTA.2300	2300	1030	760	167

Model	Α	В	С	kg
MOTA.2300	2300	1030	760	167





#### THE STORR SERIES

The STORR Series is attractive due to its simplicity, both visually and price-wise. The STORR table in combination with the STORR single seat makes a beautiful picnic set. Thanks to the modular leg, the bench can also be blindly connected. If the sofa is longer than the standard length, it will be provided with an extra support in the middle of the bench.

In the same series we also have a picnic set, picnic combination, litter bins and bicy**cle racks**. You can find these at our product categories.

## Installation

- On ground level, see product sheet
- On a foundation, see product sheet

#### **Options**

- Installation below ground levelFURNS concrete footing









#### STORR 600 1 SEATER

## Specifications CORTEN STEEL

Description	Standard
Model	STBE.600
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	10 mm
Steel thickness	10 mm









CUSTOM ACBP600 x2

Model	Α	В	С	kg
STBE.600	600	440	430	34

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
STBE.600	600	440	430	34

#### STORR BENCH 2 SEATER AND 4 SEATER

## Specifications CORTEN STEEL

Description	Standard
Model	STBE
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	10 mm
Steel thickness	10 mm

#### OPTIONS





CUSTOM ACBP600 x2

Model	Α	В	С	kg
STBE.1500	1500	440	430	51
STBE.2300	2300	440	430	68

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
STBE.1500	1500	440	430	51
STBE.2300	2300	440	430	68

## STORR 2300

#### TABLE

#### Specifications CORTEN STEEL

Description	Standard
Model	STTA.2300
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	10 mm
Steel thickness	10 mm

#### OPTIONS





MADE

ACBP250 x4

Model	Α	В	С	kg
STTA.2300	2300	790	750	123

Model	Α	В	С	kg
STTA.2300	2300	790	750	123





## PICNIC SETS

The series of picnic sets consists of a line with robust seating furniture. In addition to the picnic sets, the series also includes picnic combinations consisting of one table and two separate benches.

Options

## Installation

On a foundation, see product sheet

FURNS concrete footing

See also the product category **benches** for the corresponding seating elements.









#### BORG 2300 COMBINATION 8 SEATER

#### **Specifications**

	-
Description	Standard
Model	BOPNC.2300
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS





ACBP600 x4

#### CORTEN STEEL

Model	Α	В	С	kg
BOPNC.2300	2300	2270	750	562
GALVANISED	STEE	L +		
GALVANISED		∟ +		

BOPNC.2300 2300 2270 750 562

#### GRO 2300 COMBINATION 8 SEATER

## **Specifications**

Description	Standard
Model	GRPNC.2300
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	8 mm
Steel thickness	8 mm

#### OPTIONS



CUSTOM MADE

ACBP250 x4 ACBP600 x4

#### CORTEN STEEL

Model	Α	В	С	kg
GRPNC.2300	2300	2070	755	203

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
GRPNC.2300	2300	2070	755	203

#### MIO 2300 COMBINATION 8 SEATER

#### **Specifications**

Description	Standard
Model	MOPNC.2300
Type of wood	Garapa
Beam size	190x42
Corten steel thickness	15 mm
Steel thickness	15 mm

#### OPTIONS



ACBP600 x4

#### CORTEN STEEL

Model	Α	В	С	kg
MOPNC.2300	2300	2405	760	318

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
MOPNC.2300	2300	2405	760	318

#### STORR 2300 COMBINATION 8 SEATER

Description	Standard
Model	STPNC.2300
Type of wood	Garapa
Beam size	60x40
Corten steel thickness	10 mm
Steel thickness	10 mm

#### OPTIONS



MADE



ACBP250 x4


ACBP600 x4

CUSTOM

#### **Specifications** CORTEN STEEL

del		D		kg
2.2300	2300	2070	750	259
				2300 2300 2070 750

Model	Α	В	С	kg
STPNC.2300	2300	2070	750	259



#### DUNC 2300 SET 6 SEATER

## Specifications CORTEN STEEL

Description	Standard
Model	DUPN.R2300
Type of wood	Garapa
Beam size	135×20
Corten steel thickness	10 mm
Steel thickness	10 mm









CUSTOM ACBP600 x3

Model	Α	В	С	kg
DUPN.R2300	2300	2300	750	272

GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
DUPN.R2300	2300	2300	750	272

#### MIO 2300 SET 8 SEATER

## Specifications CORTEN STEEL

Description	Standard
Model	MOPN.2300
Type of wood	Garapa
Beam size	190x42
Corten steel thickness	15 mm
Steel thickness	15 mm

OPTIONS







CUSTOM ACBP600 x4

Model	Α	В	С	kg
MOPN.2300	2300	2270	760	311

Model	Α	В	С	kg	
MOPN.2300	2300	2270	760	311	_







#### Hockers

These playful seats are an addition to every square. You can combine them mutually and they are available in 3 sizes. These seats create an elegant meeting space which suits our planters and greenpoints.

#### **Placement**

On ground level

## **Options**

• Fixing profile

## MATERIALS







#### PLATFORM SQUARE

## **Specifications**

# DescriptionStandardBeam size60 x 40SeatingGarapaCorten steel thickness3 mmAluminium thickness4 mm

#### OPTIONS



CUSTOM MADE

#### CORTEN STEEL

Model	Α	В	С	kg
HO.S850.Ct	850	850	450	77
HO.S1140.Ct	1140	1140	450	112
HO.S1430.Ct	1430	1430	450	152

#### ALUMINIUM

Model	Α	В	С	kg
HO.S850.Al	850	850	450	50
HO.S1140.Al	1140	1140	450	75
HO.S1430.Al	1430	1430	450	108

#### PLATFORM ROUND

#### **Specifications**

Description	Standard
Beam size	60 x 40
Seating	Garapa
Corten steel thickness	3 mm
Aluminium thickness	4 mm

#### OPTIONS



CUSTOM MADE

#### CORTEN STEEL

Model	Α	В	kg
HO.R850.Ct	850	450	65
HO.R1140.Ct	1140	450	96
HO.R1430.Ct	1430	450	129

#### ALUMINIUM

Model	Α	В	kg
HO.R850.Al	850	450	42
HO.R1140.Al	1140	450	67
HO.R1430.Al	1430	450	97



GREENPOINTS

## GREENPOINTS

With our modular greenpoints you can furnish every square flexible. The elements are designed to connect to each other. Thanks to the raised feet the models are easily movable. See our product sheet for more info.


#### **Placement**

- On ground level with forklift truck90mm high feet

OptionsAdjustable feet









#### GREENPOINT LOW ONE-SIDED

#### Specifications CORTEN STEEL

	•
Description	Standard
Top edge	90x40
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminium thickness	4 mm
Feet	90 mm

#### OPTIONS



TREE CARE

Model	Α	В	С	kg
GP.2000S.Ct	2000	2000	450	283
ALUMINIUM				
ALUMINIUM Model	А	В	С	kg

#### GREENPOINT HIGH ONE-SIDED

Description	Standard
Top edge	90x40
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminium thickness	4 mm
Feet	90 mm

#### OPTIONS



Сиѕтом MADE



#### Specifications CORTEN STEEL

Model	Α	В	С	kg
GP.2000SB.Ct	2000	2000	900	420
ALUMINIUM				
Model	Α	В	С	kg
GP.2000SB.Al	2000	2000	900	224

#### GREENPOINT LOW DOUBLE-SIDED

Description	Standard
Top edge	90x40
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminium thickness	4 mm
Feet	90 mm

#### OPTIONS



MADE



TREE CARE

#### Specifications CORTEN STEEL

Model	Α	В	С	kg
GP.2000D.Ct	2000	2000	450	345

#### ALUMINIUM

CORTEN STEEL

ALUMINIUM

Model	Α	В	С	kg
GP.2000D.Al	2000	2000	450	187

Model A B C kg GP.2000DB.Ct 2000 2000 900 526

Model A B C kg GP.2000DB.Al 2000 2000 900 303

## GREENPOINT

#### HIGH DOUBLE-SIDED

#### **Specifications**

Description	Standard
Top edge	90x40
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminium thickness	4 mm
Feet	90 mm

#### OPTIONS



Сиѕтом MADE



TREE CARE

#### GREENPOINT LOW CORNER

	-
Description	Standard
Top edge	90x40
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminium thickness	4 mm
Feet	90 mm







TREE CARE

## Specifications CORTEN STEEL

Model	A	В	С	kg
GP.2000C.Ct	2000	2000	450	329

#### GREENPOINT HIGH CORNER

Description	Standard
Top edge	90x40
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminium thickness	4 mm
Feet	90 mm

#### OPTIONS









## Specifications CORTEN STEEL

Model	Α	В	С	kg
GP.2000CB.Ct	2000	2000	900	477
ALUMINIUM				
Model	Α	В	С	kg
GP.2000CB.Al	2000	2000	900	286







## THE GRO SERIES

The round shapes of GRO litter bin are playful and timeless. The litter bin is equipped with 2 inner bins of 100 litres each. Waste separation can be easily achieved using stickers.

Installation

- On ground level, see product sheetOn a foundation, see product sheet

In the same series we also have **benches** and a picnic combination. You can find these at our product categories.

## **Options**

- · Aluminium inner bin
- FURNS concrete footing









#### GRO 200

## Specifications ALUMINIUM

Description	Standard
Model	GRLB.200
Aluminum thickness	4 mm
Capacity	2X100L
Emptying	Galvanised
Closure	Slamlock

scription	Standard	Model	Α	В	С	kg
Model	GRLB.200	GRLB.200	998	497	1150	92
um thickness	4 mm					
apacity	2x100L					
nptying	Galvanised					

#### OPTIONS



ACBP600 x1

# GRO 2 WASTE FLOWS 100

#### Specifications ALUMINIUM

Description	Standard
Model	GRLB.100WS2
Aluminum thickness	4 mm
Capacity	2×100L
Emptying	Galvanised
Closure	Slamlock

#### OPTIONS



ACBP600 x1

## Model A B C kg GRLB.100WS2 998 497 1150 92



Description	Stariuaru
Model	GRLB.100WS2
Aluminum thickness	4 mm
Capacity	2x100L
Emptying	Galvanised
Closure	Slamlock





#### THE STORR SERIES

The STORR is a versatile litter bin that is characterised by its simplicity. The model is available with or without wooden finish. Thanks to the slamlock system, no key nor additional action is required to lock the door.

In the same series we also have **benches**, **picnic combination**, **picnic set**, **tree guards and bicycle racks**. You can find these at our product categories.

## Installation

- On ground level, see product sheet
- On a foundation, see product sheet

## **Options**

- · Aluminium inner bin
- FURNS concrete footing









#### STORR 100

#### **Specifications**

Description	Standard
Model	STLB.100
Corten steel thickness	3 mm
Aluminum thickness	4 mm
Capacity	100L
Emptying	Galvanised
Closure	Slamlock

# OPTIONS



ACBP600 x1

PТ	FN	CT	EEI
	E IN	<b>-</b> 1	

Model	Α	В	С	kg
STLB.100	545	550	1150	69
ALUMINIUM				
ALUMINIUM Model	А	В	С	kg

#### STORR 100 WOOD



#### Specifications CORTEN STEEL

Description	Standard
Model	STLB.100.W
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminum thickness	4 mm
Capacity	100L
Emptying	Galvanised
Closure	Slamlock

#### OPTIONS



ACBP600 x1

Model	Α	В	С	kg
STLB.100.W	545	550	1150	76
ALUMINIUM				
Model	Α	В	С	kg
STLB.100.W	545	550	1150	134

Description	Standard
Model	STLB.100WS2
Corten steel thickness	3 mm
Aluminum thickness	4 mm
Capacity	2X100L
Emptying	Galvanised
Closure	Slamlock



#### STORR 2 WASTE FLOWS 100

## Specifications CORTEN STEEL

Model	Α	В	С	kg
STLB.100WS2	1065	550	1150	114
ALUMINIUM				
Model	Α	В	С	kg

STLB.100WS2 1065 550 1150 201

Model A B C kg STLB.100WS2.W 1065 550 1150 127

Model A B C kg STLB:100WS2:W 1065 550 1150 224

#### OPTIONS

ACBP600 x1

CORTEN STEEL

ALUMINIUM

	-poomoutions
Description	Standard
Model	STLB.100WS2.W
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminum thickness	4 mm
Capacity	2x100L
Emptying	Galvanised
Closure	Slamlock



#### STORR 2 WASTE FLOWS 100 WOOD

#### **Specifications**


Description	Standard
Model	STLB.100WS2.W
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminum thickness	4 mm
Capacity	2X100L
Emptying	Galvanised
Closure	Slamlock

#### OPTIONS



ACBP600 x1

#### STORR 3 WASTE FLOWS 70



## Specifications CORTEN STEEL

Description	Standard
Model	STLB.70WS3
Corten steel thickness	3 mm
Aluminum thickness	4 mm
Capacity	3x70L
Emptying	Galvanised
Closure	Slamlock

#### OPTIONS




ACBP600 x1

	Model	Α	В	С	kg
ST	LB.70WS3	1195	550	1150	135

#### ALUMINIUM

Model	Α	В	С	kg
STLB.70WS3	1195	550	1150	238

# STORR 3 WASTE FLOWS 70



	•
Description	Standard
Model	STLB.70WS3.W
Type of wood	Garapa
Corten steel thickness	3 mm
Aluminum thickness	4 mm
Capacity	3×70L
Emptying	Galvanised
Closure	Slamlock

#### OPTIONS



ACBP600 x1

# Specifications CORTEN STEEL

Model	Α	В	С	
STLB.70WS3.W	1195	550	1150	-
ALUMINIUM				
Model	Α	В	С	
STLB.70WS3.W	1195	550	1150	2











## THE AROS BICYCLE RACKS

The AROS is a budget-friendly but also elegant bicycle rack. The racks can be produced with and without a tilt bar.

#### Installation

- Below ground level: 150 mm
- On a foundation, see product sheet

In the same series we also have **benches** and tree guards. You can find these at our product categories.

## **Options**

- · Tilt bar
- FURNS concrete footing
















#### **Specifications** Standard Description Model Corten steel thickness 2 mm

#### OPTIONS

Steel thickness



ACBP250 x2

## AROS 1S WITH TILT BAR

## **Specifications**

AROS 1

AR1BS

2 mm

Description	Standard
Model	AR1BS.S
Corten steel thickness	2 mm
Steel thickness	2 mm

#### OPTIONS



ACBP250 x2

#### CORTEN STEEL

_	Model	Α	В	С	kg
	AR1BS.600	640	60	920	10
	AR1BS.900	940	60	920	11
•	AR1BS.1200	1240	60	920	11

#### GALVANISED STEEL

Model	Α	В	С	kg
AR1BS.600	640	60	920	10
AR1BS.900	940	60	920	11
AR1BS.1200	1240	60	920	11

#### GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
AR1BS.600	640	60	920	10
AR1BS.900	940	60	920	11
AR1BS.1200	1240	60	920	11

#### CORTEN STEEL

Model	Α	В	С	kg
AR1BS.600S	640	60	920	11
AR1BS.900S	940	60	920	13
AR1BS.1200S	1240	60	920	15

#### GALVANISED STEEL

Model	Α	В	С	kg
AR1BS.600S	640	60	920	11
AR1BS.900S	940	60	920	13
AR1BS.1200S	1240	60	920	15

Model	Α	В	С	kg
AR1BS.600S	640	60	920	11
AR1BS.900S	940	60	920	13
AR1BS.1200S	1240	60	920	15



#### AROS 2

#### **Specifications**

Description	Standard
Model	AR2BS
Stainless steel thickness	2 mm
Steel thickness	2 mm

#### OPTIONS



ACBP250 x2

#### AROS 2S WITH TILT BAR

## Specifications

Description	Standard
Model	AR2BS.S
Stainless steel thickness	2 mm
Steel thickness	2 mm

#### OPTIONS



ACBP250 x2

#### STAINLESS STEEL

Model	Α	В	С	kg
AR2BS.600	645	42	920	7
AR2BS.900	945	42	920	8
AR2BS.1200	1245	42	920	9

#### GALVANISED STEEL

Model	Α	В	С	kg
AR2BS.600	640	40	920	7
AR2BS.900	940	40	920	7
AR2BS.1200	1240	40	920	8

# GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
AR2BS.600	640	40	920	7
AR2BS.900	940	40	920	7
AR2BS.1200	1240	40	920	8

#### STAINLESS STEEL

Model	Α	В	С	kg	_
AR2BS.600S	645	42	920	8	_
AR2BS.900S	945	42	920	10	
AR2BS.1200S	1245	42	920	11	

#### GALVANISED STEEL

Model	Α	В	С	kg
AR2BS.600S	640	40	920	8
AR2BS.900S	940	40	920	9
AR2BS.1200S	1240	40	920	10

Model	Α	В	С	kg
AR2BS.600S	640	40	920	8
AR2BS.900S	940	40	920	9
AR2BS.1200S	1240	40	920	10









# AROS 2 BAMBOO WITH TILT BAR

# **Specifications**

Description	Standard
Model	AR1BS.BA
Type of wood	Bamboo
Steel thickness	2 mm

Model	Α	В	С	kg
AR1BS.600S.Ba	640	60	920	11





ACBP250 x2





# **Specifications**

Description	Standard
Model	AR1BS.BA
Type of wood	Bamboo
Steel thickness	2 mm

Model	Α	В	С	kg
AR1BS.900S.Ba	940	60	920	13

## OPTIONS



ACBP250 x2

# BORG

# THE BORG BICYCLE RACKS

The BORG is a robust bicycle rack. The racks 
In the same series we also have **benches,** are available in the single and double placement variant.

# Installation

- Below ground level: 150 mm
- On a foundation, see product sheet

litter bins and tree guards. You can find these at our product categories.

# **Options**

FURNS concrete footing













# Specifications CORTEN STEEL

Description	Standard
Model	BOBS.600
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

## OPTIONS



ACBP250 x2

Model	Α	В	С	kg
BOBS.600	900	90	934	24

## GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
BOBS.600	900	90	934	24

## BORG 900

# Specifications CORTEN STEEL

Description	Standard
Model	BOBS.900
Type of wood	Garapa
Beam size	90x40
Corten steel thickness	8 mm
Steel thickness	8 mm

## OPTIONS



ACBP250 x2

Model	А	В	C	kg
BOBS.900	1200	90	934	26

# GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
BOBS.900	1200	90	934	26



# 78 STORR

# THE STORR BICYCLE RACKS

The strength of the STORR bicycle stands is simplicity, partly due to the use of material with a thickness of 10mm.

Installation

- Below ground level: 150 mmOn a foundation, see product sheet

In the same series we also have **benches**, **picnic combination**, **litter bins and tree guards**. You can find these at our product categories.

# **Options**

FURNS concrete footing









## STORR 600

Description	Standard
Model	STBS.600
Corten steel thickness	10 mm
Steel thickness	10 mm

## OPTIONS



ACBP250 x2

# Specifications CORTEN STEEL

Model	Α	В	С	kg
STBS.600	600	60	906	19

## GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
STBS.600	600	60	906	19

## STORR 900

# Specifications CORTEN STEEL

Description	Standard
Model	STBS.900
Corten steel thickness	10 mm
Steel thickness	10 mm

### OPTIONS



ACBP250 x2

Model	Α	В	С	kg
STBS.900	900	60	906	22

# GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
STBS.900	900	60	906	22





# THE ROMB SERIES

The ROMB barrier is a guided fence that is characterised by its simplicity. By applying separation barriers, you ensure safety and create visual walking/driving lanes.

# Installation

• On ground level, see product sheet

OptionsFURNS concrete footing









## ROMB 1

# Specifications CORTEN STEEL

Description	Standard
Model	RO1BA
Corten steel thickness	8 mm
Steel thickness	8 mm

Model	Α	В	С	kg
RO1BA1000	1000	80	1000	35
RO1BA1490	1490	80	1000	45
RO1BA2000	2000	80	1000	55

## GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
RO1BA1000	1000	80	1000	35
RO1BA1490	1490	80	1000	45
RO1BA2000	2000	80	1000	55

# ROMB 2

# Specifications CORTEN STEEL

Description	Standard		
Model	RO2BA		
Corten steel thickness	8 mm		
Steel thickness	8 mm		

Model	Α	В	С	kg
RO2BA1000	1000	80	1000	36
RO2BA1490	1490	80	1000	45
RO2BA2000	2000	80	1000	55

# GALVANISED STEEL + POWDER COATING

Model	Α	В	С	kg
RO2BA1000	1000	80	1000	36
RO2BA1490	1490	80	1000	45
RO2BA2000	2000	80	1000	55





# ROAD STUDS

Indicate a route or boundary in a safe and clear way, that is possible with road studs. In addition to a visual separation for pedestrians, for example, they also provide tactile feedback for drivers. Simplicity makes our

Application:

- Terraces
- Parking spaces
- Crossings
- Smoking areasRoad marking

road surfaces functional and robust. The right construction and materials make the road studs extremely suitable for public spaces. This solution offers a flexible, fast and timeless solution for infinite applications.

# Installation

See product sheet









## ROAD STUDS



## Ctandard

Description	Standard		
Model	RS		
Material thickness	3 mm		

### OPTIONS



ACCA1 1/30PCS

# Specifications CORTEN STEEL

Model	Α	В	g
RS50 (10pcs)	50	60	93
RS70 (10pcs)	70	60	136
RS105 (10pcs)	105	60	247
RS150 (10pcs)	150	120	511

# ROAD STUDS

## **Specifications**

Description	Standard	
Model	RS	
Material thickness	3 mm	

## OPTIONS



ACCA1 1/30PCS

# STAINLESS STEEL

Model	Α	В	g
RS50 (10pcs)	50	60	95
RS70 (10pcs)	70	60	140
RS105 (10pcs)	105	60	254
RS150 (10pcs)	150	120	524





LANDSCAPING OUR FUTURE

